

2.1.2 Cote d'Ivoire Port Autonome de San Pedro

- [Port Overview](#)
- [Description and Contacts of Key Companies](#)
- [Port Performance](#)
 - [Discharge Rates and Terminal Handling Charges](#)
- [Berthing Specifications](#)
 - [General Cargo Handling Berths](#)
 - [Port Handling Equipment](#)
 - [Container Facilities](#)
 - [Customs Guidance](#)
- [Terminal Information](#)
 - [Multipurpose Terminal](#)
 - [Grain and Bulk Handling](#)
 - [Main Storage Terminal](#)
 - [Stevedoring](#)
 - [Hinterland Information](#)
- [Port Security](#)

Key port information can also be found at: [Maritime Database information on Cote d'Ivoire](#)

Port website: [Port Autonome de San Pedro Website](#)

Port Overview

Port Location and Contacts	
Country	Côte d'Ivoire
Province or District	Region du Bas Sassandra
Town or City (Closest location) with Distance (km)	Name : San Pedro Distance: 350 Km south-west from Abidjan
Port's Complete Name	Port Autonome de San Pedro
Latitude	4.733333
Longitude	-6.616667
Managing Company or Port Authority (If more than one operator, break down by area of operation)	Port Autonome de San Pedro
Management Contact Person	HILAIRE LAMIZANA , Director
Closest Airport and Frequent Airlines to / from International Destinations	Airport Name: n/a Airlines: n/a

Description and Contacts of Key Companies

For information on Côte d'Ivoire Port Autonome de San Pedro contacts details, please see the following link: [Annex 4.2.4 Cote d'Ivoire Port and Waterways Company Contact List](#)

Port Performance

One of the main feature of the port of San Pedro is that the port authority owns a total land surface of some 2000 hectares out of which only 500 hectares have so far been developed or designated for specific developments, allocated as follows:

- Open stacking area (customs bonded area): 10 hectares.
- Covered warehouse space (customs bonded area): 355 hectares
- Fishing port, cement/clinker terminal: 85 hectares
- Reserved for industrial development: 1.550 hectares.

For information on Côte d'Ivoire Port Autonome de San Pedro, please see the following document: [Côte d'Ivoire Port Autonome de San Pedro Additional Information](#)

Note: The information provided in the attached document, which has been taken from the old DLCA, does not match the structure of the new LCA and is therefore provided separately.

Handling Figures	Year 2013
Vessel Calls	533
Container Traffic (TEUs)	333,334

Handling Figures	Year 2013
Total Cargo Handling Capacity (MT)	1,050,000
Total Annual Capacity of the Port (MT)	4,325,665

Discharge Rates and Terminal Handling Charges

For information on Côte d'Ivoire Port Autonome de San Pedro Discharge Rates and Terminal Handling Charges, please see the following links:

[Port Autonome de San Pedro Website](#)

[Côte d'Ivoire Port Autonome de San Pedro Additional Information](#)

Note: The information provided in the attached document, which has been taken from the old DLCA, does not match the structure of the new LCA and is therefore provided separately.

Berthing Specifications

Type of Berth	Quantity	Length (m)	Maximum Draft (m)
Conventional Berth	3-4	Quai Sud 155 m. Quai Ouest 181 m Quai Ouest 400 m	9 m. 11 m. 12 m.
Container Berth	No specific container berth	n/a	n/a
Silo Berth	n/a	n/a	n/a
Berthing Tugs	Yes		
Water Barges	n/a		

General Cargo Handling Berths

Cote d'Ivoire General Cargo Handling Berths information unavailable.

Port Handling Equipment

Port equipment is managed by a private company called Terminal San Pedro (TSP). The port authority does not carry out any cargo handling operations, neither on board of the vessels nor ashore. The port has therefore no cargo handling equipment whatsoever. The port provides weighbridge facilities (60 MT capacity). All trucks or tractors and trailers are weighed as they enter and leave the port.

The Port Autonome de San Pedro has bought a GODWALL mobile crane – capacity 100 MT or 40 MT at 40 meters for assisting vessels with the discharge and loading of containers. This will allow gearless container vessels to call at San Pedro. The crane will be operated by MSC shipping line but will be available to all the stevedoring companies operating at San Pedro port.

The stevedoring companies also have a lot of forklifts and equipment to operate conventional and breakbulk vessels. The Daily Take Off Capacity is 2000 ton for bulk cargo; 12 hours maximum residence time in the harbour for container ships and up to 48 hours for other vessels

Container Facilities

There are no specific container berths at San Pedro. All containers are discharged and loaded with a GODWALL mobile crane.

The 4 multi-purpose general cargo berths are indifferently used for general cargo vessels, containers vessels and grain vessels. The latter ones are berthed at the North end of the quayside close to the GMA's silos.

All the private stevedoring companies have a dedicated container stacking area.

Facilities	20 ft	40 ft

Container Facilities Available	Yes	Yes
Container Freight Station (CFS)	Yes	Yes
Refrigerated Container Stations	No	No
Other Capacity Details		
Daily Take Off Capacity (Containers per day)	600 TEUS	
Number of Reefer Stations (connection points)	100	
Emergency Take-off Capacity (Give an indication)	n/a	
Off take capacity of gang shift (in Containers per shift)	200 TEUS	

Customs Guidance

For information on customs guidance, please see the following section:

[1.3 Côte d'Ivoire Customs Information](#)

Terminal Information

Multipurpose Terminal

Information for Côte d'Ivoire Port Autonome de San Pedro Multipurpose Terminal is unavailable.

Grain and Bulk Handling

Grain vessels are moored at the very north end of the "Quai Ouest" close to the GMA's silos. The grain is discharged with grabs into hoppers feeding into underground conveyor belts carrying the grain into the silos.

Main Storage Terminal

The total amount of covered storage space amounts to 13,800 m².

A special warehouse – 4000m² - located in the middle of the port is strictly reserved for food commodities and perishables. Transit food aid consignments will be stored in that warehouse pending final dispatch into Guinea or Mali.

Stevedoring

The below companies are operating in San Pedro port as stevedores:

BOLLORE AFRICA LOGISTICS CI, MOVIS, MEDLOG, TSP, APM TERMINAL

Hinterland Information

Information for Côte d'Ivoire Port Autonome de San Pedro's hinterland is unavailable.

Port Security

Since 1 July 2004, the Port of San Pedro is certified under the ISPS Code number: 18346 / UN LOCATOR CODE / CI SPY at security level 1. A security plan for port facilities has been completed and validated by the competent authority. It provides, inter alia, the installation of building control at the entrance and exit of people and vehicles, control devices and vessel identification, surveillance of port facilities and Plan of water, an efficient communication system, etc.. The implementation of this security plan is in progress. Port Identity number: 18345 Port UN Locator Code : CI SPY Port Security Facility Officer: Tel: +(225) 34.71.72.18 Fax: +(225) 34.71.72.14 VHF channel 12 & 16 E-mail: isps_pasp@sanpedro-portci.com

Security	
ISPS Compliant	Yes
(Yes / No)	

Current ISPS Level	1	Level 1 = Normal, Level 2 = Heightened, Level 3 = Exceptional
Police Boats	n/a	
Fire Engines	n/a	

For information on Côte d'Ivoire Port Autonome de San Pedro contacts details, please see the following link:

[Annex 4.2.4 Cote d'Ivoire Port and Waterways Company Contact List](#)

For additional information on Côte d'Ivoire Port Autonome de San Pedro, please see the following links:

[Port Autonome de San Pedro Website](#)

[Côte d'Ivoire Port Autonome de San Pedro Additional Information](#)

Note: The information provided in the attached document, which has been taken from the old DLCA, does not match the structure of the new LCA and is therefore provided separately.